



CURB STOP BALL VALVES, RISER PIPE & CAP

Stainless Steel or No-Lead Brass




U.S. Patent #
D 1,001,976
Canadian Patent #
205,365



LEARN MORE ABOUT THE BEST IN THE INDUSTRY AT merrillmfg.com

CURB STOP BALL VALVES, RISER PIPE & CAP



Curb Stop Stainless Steel Insert Ball Valves

Curb Stop Stainless Steel Insert Ball Valves

Order Number	UPC Bar Code (Qty.1)	Insert x Insert Size	Ctn. Qty.	Approx. Weight
SSVICS75	6 42367 45078 6	3/4" x 3/4"	10	0.70 lbs
SSVICS100	6 42367 45079 3	1" x 1"	10	1.10 lbs
SSVICS125	6 42367 45080 9	1-1/4" x 1-1/4"	5	1.60 lbs

- Insert barb x insert barb for (PE) pipe
- Full port thru insert ends and ball
- Teflon® seals
- Adjust flow or positive shutoff
- Chrome plated ball
- Valve and handle all 304 Stainless Steel
- Max. Temp. 212° F

Curb Stop Stainless Steel Ball Valves

Order Number	UPC Bar Code (Qty.1)	Thread x Thread Size	Ctn. Qty.	Approx. Weight
SSVCS75	6 42367 45219 3	3/4" x 3/4"	10	1.60 lbs
SSVCS100	6 42367 45220 9	1" x 1"	---	2.70 lbs

- Female NPT x Female NPT
- Full port ball
- Valve and handle all 304 Stainless Steel
- 1000 W.O.G.
- Chrome plated ball
- Teflon® seals
- Adjust flow or positive shutoff
- Max. Temp. 212° F



Curb Stop Stainless Steel Ball Valves

Curb Stop No-Lead Brass Insert Ball Valves

Order Number	UPC Bar Code (Qty.1)	Insert x Insert Size	Ctn. Qty.	Approx. Weight
BBVINLCS75	6 42367 45075 5	3/4" x 3/4"	10	0.70 lbs
BBVINLCS100	6 42367 45076 2	1" x 1"	10	1.10 lbs
BBVINLCS125	6 42367 45077 9	1-1/4" x 1-1/4"	5	1.50 lbs

- Insert barb x insert barb for (PE) pipe
- Full port thru insert ends and ball
- Teflon® seals
- Adjust flow or positive shutoff
- Chrome plated ball
- Valve handle all 304 Stainless Steel
- Max. Temp. 212° F



Curb Stop No-Lead Brass Insert Ball Valves

Curb Stop No-Lead Brass Ball Valves

Order Number	UPC Bar Code (Qty.1)	Thread x Thread Size	Ctn. Qty.	Approx. Weight
BBVNLCS75	6 42367 45221 6	3/4" x 3/4"	---	1.50 lbs
BBVNLCS100	6 42367 45222 3	1" x 1"	---	1.90 lbs

- Female NPT x Female NPT
- Full port ball
- Valve handle all 304 Stainless Steel
- 600 W.O.G.
- Chrome plated ball
- Teflon® seals
- Adjust flow or positive shutoff
- Max. Temp. 212° F




Curb Stop No-Lead Brass Ball Valves






WARNING: This product meets Federal USA Drinking Water requirements but has not been specifically tested or approved as no-lead in the State of California.















 No-Lead

Curb Stop Wrench

Order Number	UPC Bar Code (Qty.1)	Valve Size	Bury Depth	Ctn. Qty.	Approx. Weight
 CSRW23	6 42367 45346 6	Any Size	1', 2', 3'	---	4.40 lbs
 CSRW35	6 42367 45347 3	Any Size	3', 4', 5'	---	6.10 lbs
 CSRW58	6 42367 45348 0	Any Size	5', 6', 7', 8'	---	8.70 lbs

• With MCKADJTOOL attached

Curb Stop Riser Pipe and Cap

Order Number	UPC Bar Code (Qty.1)	Valve Size	Bury Depth	Ctn. Qty.	Approx. Weight
 CSRP75X1	6 42367 45094 6	3/4"	1'	---	1.0 lbs
 CSRP75X23	6 42367 45095 3	3/4"	2' or 3'	---	2.0 lbs
 CSRP75X35	6 42367 45116 5	3/4"	3', 4' or 5'	---	2.5 lbs
 CSRP75X58	6 42367 45117 2	3/4"	5', 6', 7' or 8'	---	4.0 lbs
 CSRP1X1	6 42367 45138 7	1"	1'	---	1.0 lbs
 CSRP1X23	6 42367 45139 4	1"	2' or 3'	---	2.0 lbs
 CSRP1X35	6 42367 45140 0	1"	3', 4' or 5'	---	2.5 lbs
 CSRP1X58	6 42367 45141 7	1"	5', 6', 7' or 8'	---	4.0 lbs
 CSRP125X1	6 42367 45098 4	1-1/4"	1'	---	1.0 lbs
 CSRP125X23	6 42367 45099 1	1-1/4"	2' or 3'	---	2.0 lbs
 CSRP125X35	6 42367 45118 9	1-1/4"	3', 4' or 5'	---	2.5 lbs
 CSRP125X58	6 42367 45119 6	1-1/4"	5', 6', 7' or 8'	---	4.0 lbs

- Adjustable PVC riser pipe for shutoff tool to reach the valve after it is buried
- PVC riser pipe features telescoping design - with all stainless steel hose clamp to hold adjustment
- Riser pipe Sch. 80 PVC - stainless steel wire form seals riser pipe to valve body



Custom Tool with MCKADJTOOL attached

