

# STAINLESS STEEL FLOAT ROD AND FLOAT BALLS

## SPECIFICATIONS:

- Float rods are constructed from stainless steel, providing durability and resistance to corrosion.
- Float balls are made from polyethylene material, ensuring long-lasting durability and resistance to corrosion.
- Available in multiple sizes, with float rods in 1/4", 5/16", and 7/16" diameters, and float balls in 5", 8", and 10", making them compatible with a wide range of valve and rod configurations.
- Designed for use in livestock tank fill valves, cooling tower fill valves, and other applications where automatic tank filling is required.



No Lead



STAINLESS STEEL FLOAT RODS DIMENSIONS		
Part No.	Length x Rod Diameter	Approx. Wt./Lbs.
FR06025	6" x 1/4"	0.1
FR08025	8" x 1/4"	0.1
FR10025	10" x 1/4"	0.1
FR12025	12" x 1/4"	0.1
14036SSRTOE	36" x 1/4"	0.9
14048SSRTOE	48" x 1/4"	1.2
FR10516	10" x 5/16"	0.2
FR14516	14" x 5/16"	0.2
FR16516	16" x 5/16"	0.2
FR18516	18" x 5/16"	0.2
FR12716	12" x 7/16"	0.4

MATERIALS LIST	
Part Name	Material
Float Ball	Polyethylene
Float Rod	Stainless Steel

FLOAT BALLS DIMENSIONS		
Part No.	Size Ball x Rod Diameter	Approx. Wt./Lbs.
FB04025	4" x 5" x 1/4"	0.1
FB06025	6" x 1/4"	0.3
FB08025	8" x 1/4"	0.8
FB08516	8" x 5/16"	0.5
FB10716	10" x 7/16"	0.8